




099612490FC



Docket No.: 214401US2SRD

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

ATTORNEYS AT LAW

RE: Inventor: Koji HASHIMOTO, et al.
Patent No.: 6,818,109 B2
Issued: November 16, 2004
Group Art Unit: 1753
Examiner: Alexander Stephan Noguera
For: NUCLEIC ACID DETECTION SENSOR

Certificate
DEC 15 2004
of Correction

SIR:

Attached hereto for filing are the following papers:

REQUEST FOR CERTIFICATE OF CORRECTION
CERTIFICATE OF CORRECTION FORM PTO 1050

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.


Marvin J. Spivak

Registration No. 24,913
Joseph Scafetta, Jr.
Registration No. 26,803

Customer Number
22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 05/04)



Docket No.: 214401US2SRD

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313



RE: Inventor: Koji HASHIMOTO, et al.
Patent No.: 6,818,109 *B2*
Issued: November 16, 2004
Group Art Unit: 1753
Examiner: Alexander Stephan Noguera
For: NUCLEIC ACID DETECTION SENSOR

SIR:

Attached hereto for filing are the following papers:

REQUEST FOR CERTIFICATE OF CORRECTION
CERTIFICATE OF CORRECTION FORM PTO 1050

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Marvin J. Spivak

Registration No. 24,913

Joseph Scafetta, Jr.
Registration No. 26,803

Customer Number
22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 05/04)



BUCKET NO.: 214401US2SRD/ele

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: Koji HASHIMOTO, et al.

PATENT NO.: 6,818,109 *B2*

GROUP: 1753

ISSUED: November 16, 2004

EXAMINER: Alexander Stephan
Noguerola

FOR: NUCLEIC ACID DETECTION SENSOR

REQUEST FOR CERTIFICATE OF CORRECTION

DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE
ALEXANDRIA, VA 22313-1450

SIR:


The following is a request for a certificate of correction in Serial Number 09/961,249, now Patent Number 6,818,109.

In accordance with the provisions of Rule 322 of the Rules of Practice, which implement 35 USC 254, the Patent Office is respectfully requested to issue a certificate of correction in the above-identified patent.

In light of the fact that the errors were the fault of the Patent Office, no fees are required. The requested corrections are listed on FORM P.T.O. 1050.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.


Marvin J. Spivak

Registration No. 24,913

Joseph Scafetta, Jr.
Registration No. 26,803

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 05/04)

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,818,109 *B2*
DATED: Nov. 16, 2004
INVENTOR(S): Hashimoto et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, the Terminal Disclaimer information has been omitted, Item (45) and the Notice information should read as follows:

-- [45] **Date of Patent: *Nov. 16, 2004**

[*] Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 358 days.

This Patent is subject to a terminal disclaimer. --

Mailing address of sender:

Patent No. 6,818,109

Customer Number

22850

No. of add'l copies
@ .30 per page

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/02)



DEC 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,818,109 *B2*
DATED: Nov. 16, 2004
INVENTOR(S): Hashimoto et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, the Terminal Disclaimer information has been omitted, Item (45) and the Notice information should read as follows:

-- [45] **Date of Patent: *Nov. 16, 2004**

[*] Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 358 days.

This Patent is subject to a terminal disclaimer. --

Mailing address of sender:

Patent No. 6,818,109

Customer Number

22850

No. of add'l copies
@ .30 per page

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 03/02)

